

SPECIFICATION:

MATERIALS:

Bench Ends - Recycled Cast aluminium Timbers - Hardwood Timber Straps - Grade 304 Stainless steel Fixings - Grade 304 Stainless steel



DIMENSIONS:

mm unless otherwise stated

FINISH:

Castings - Mill Finish or Optional Powder Coat Timber - Oil Based


ATTACHMENT:

Bolt down



CONFIDENTIAL

| | # | DESCRIPTION | BY | DATE | DRAWN | DRAWN DATE | CH | HECKED | CHECKED DATE | SCALE | - A4 |
|-----|---|---------------------|-----|----------|------------|------------|-----|--------|--------------|------------|--------|
| Iz | | ORIGINAL DRAWING | DN | 22.10.10 | R.CRIGHTON | 26.6.14 | | | | N/A | A4 |
| | 2 | FULL PRODUCT REVIEW | RBC | 26.6.14 | | -F- | | | DELTA BE | | |
| | | | | | | | | | SPEC |) . | |
| 1 2 | 4 | | | | | FURPH | 1 1 | _ | FSA001002 | REV. | SHEET |
| L | 5 | | | | + 7 | | | | 1 3A00 1002 | 2 | 1 OF 3 |



SPECIFICATION:

MATERIALS:

Bench Ends - Recycled Cast aluminium Timbers - Hardwood Timber Straps - Grade 304 Stainless steel Fixings - Grade 304 Stainless steel



DIMENSIONS:

mm unless otherwise stated

FINISH:

Castings - Mill Finish or Optional Powder Coat Timber - Oil Based


ATTACHMENT:

Bolt down



CONFIDENTIAL

| Г | # | DESCRIPTION | BY | DATE | DRAWN | DRAWN DATE | CH | HECKED | CHECKED DATE | SCAL | E A4 |
|-------------|---|---------------------|-----|----------|------------|-------------------|----|--------|----------------|-----------|--------|
| Įz | 1 | ORIGINAL DRAWING | DN | 22.10.10 | R.CRIGHTON | 26.6.14 | | | | N/A | A4 |
| NOIS!/ | 2 | FULL PRODUCT REVIEW | RBC | 26.6.14 | | -E- | | | DELTA BENCH (A | | 3) |
| \frac{1}{5} | 3 | | | | | | | | SPEC |). | , |
| H H | 4 | | | | | FURPH | Y | | FSA001003 | REV. | SHEET |
| L | 5 | | | |) 7 | FOUNDRY EST. 1864 | | I | 1 3A00 1003 | 2 | 1 OF 3 |



MATERIALS:

Bench Ends - Recycled Cast aluminium Timbers - Hardwood Timber Slats

Straps - Mild Steel

DIMENSIONS:

mm unless otherwise stated

FINISH:

Castings - Mill Finish or Optional Powder Coat Timber - Oil Based

GROUND FIXING:


Bolt Down



Quality


ISO 9001 SAI GLOBAL

| | # | DESCRIPTION | BY | DATE | DRAWN | DRAWN DATE | CH | HECKED | CHECKED DATE | SCALE | A4 |
|-----|----|---------------------|-----|----------|------------|------------|----|--------|--------------|------------|--------|
| Įz | 1 | ORIGINAL DRAWING | DN | 5.10.10 | R.CRIGHTON | 27.11.13 | | | | N/A | A4 |
| -19 | 12 | FULL PRODUCT REVIEW | RBC | 27.11.13 | | _F_ | | | FIESTA BI | | |
| | 3 | | | | | FUDDU | | | SPEC | ; . | |
| RE | 4 | | | | | FURPH | | F | FSA001005 | REV. | SHEET |
| L | 5 | | | | + 7 | | | | 1 3/100 1003 | 2 | 1 OF 3 |



Finishes:Powder coated (painted) or mill finish - see works order

NOTE: For fettling/grinding/finishing refer to - Fettling Procedure (Grinding steps) sheet.





SIGNIFICANT CHARACTERISTICS TO BE INSPECTED

Surface finishes/ imperfections


Hole sizes & positioning

To be mill or powder coat product

Tick if correct: Notes or faults:




| Г | # | DESCRIPTION | BY | DATE | DRAWN | DRAWN DATE | CHECKED | CHECKED DATE | SCALE | |
|--------|---|------------------|-----|---------|------------|----------------------------|--|---------------------------|-------|-----------------|
| Iz | 1 | ORIGINAL DRAWING | RBC | 24.1.14 | R.CRIGHTON | 24.1.14 | | | N/A | A4 |
| NOISIA | 2 | | | | | _F_ | | FORESHORE FETTLING PRO | | |
| RF | 5 | | | | | FURPH FOUNDRY EST. 1864 | AND THE RESERVE OF THE PERSON NAMED IN COLUMN TO SERVE OF | FSA001016 | REV. | SHEET 3 OF 3 |



HORIZON RANGE FFSB001020 1800mm BENCH










HORIZON RANGE FFSB001021 3000mm BENCH










HORIZON RANGE


1:10@A3


FFSB001050 RIGHT ANGLE MODULE

BENCH & SEAT CONFIGURATIONS SHOWN AS EXAMPLES ONLY
















HORIZON RANGE FFSB001051 STRAIGHT MODULE

BENCH & SEAT CONFIGURATIONS SHOWN AS EXAMPLES ONLY










HORIZON RANGE

FFSB001052 TRIANGLE MODULE

BENCH & SEAT CONFIGURATIONS SHOWN AS EXAMPLES ONLY
















SPECIFICATION:

MATERIAL:

Main construction - 304 Stainless steel Slats - Hardwood timber Fixings - Stainless steel



DIMENSIONS:


mm unless otherwise stated

FINISH:

Stainless steel components - Polished Timbers - Oil based

GROUND ATTACHEMENT:

Bolt down




BOLT DOWN DETAIL SLATS REMOVED FOR CLARITY



CONFIDENTIAL


| | # | DESCRIPTION | BY | DATE | DRAWN | DRAWN DATE | CH | HECKED | CHECKED DATE | SCALI | |
|--------|---|---------------------|-----|---------|------------|----------------------|----|--------|---------------|------------|--------|
| Įz | 1 | ORIGINAL DRAWING | DN | 4.11.10 | R.CRIGHTON | 3.2.14 | | | | N/A | - A4 |
| NOISIA | 2 | FULL PRODUCT REVIEW | RBC | 3.2.14 | | _E_ | | L | YNDARUM BENCH | | WN |
| IJ | 3 | | | | | | - | | SPEC |) . | |
| A H | 4 | | | | | FURPI- | IY | _ | FSC001001 | REV. | SHEET |
| | 5 | | | | + 7 | . 30/10/1/ 28/1/1004 | | Г | F3C001001 | 2 | 1 OF 2 |


1200



PORTION OF LEG

IN GROUND





SPECIFICATION:

MATERIAL:

Main construction - 304 Stainless steel Slats - Hardwood timber Fixings - Stainless steel

DIMENSIONS:

mm unless otherwise stated

FINISH:

Stainless steel components - Polished Timbers - Oil based

GROUND ATTACHEMENT:

In ground



Quality


ISO 9001

SAI GLOBAL

| | # | DESCRIPTION | BY | DATE | DRAWN | DRAWN DATE | CHE | CKED | CHECKED DATE | SCAL | |
|--------|---|---------------------|-----|---------|------------|-------------------|-----|------|---------------|------------|--------|
| Įz | 1 | ORIGINAL DRAWING | DN | 4.11.10 | R.CRIGHTON | 4.2.14 | | | | N/A | M4 |
| VISION | 2 | FULL PRODUCT REVIEW | RBC | 4.2.14 | | _E_ | | L | YNDARUM BENCH | | ND |
| | | | | | | | | | SPEC |) . | |
| R | 4 | | | | | FURPH | Y | | FSC001002 | REV. | SHEET |
| L | 5 | | | |) 7 | PODNON' 251. 1864 | | 1 | 1 3000 1002 | 2 | 1 OF 2 |

METRO RANGE

FFSA001001 1800mm BENCH (BOLT DOWN)



FRONT ELEVATION


1:10 @ A3

Slats available in: Hardwood Timber Aluminium

(FFSA001001) (FFSA001001A)



PERSPECTIVE N.T.S.



| REV | SION | DATE: | DRAWN BY. | |
|-----|------|-------|-----------|--------------------------------|
| 6 | | | | |
| 5 | | | | |
| 4 | | | | |
| 3 | | | | © FURPH |
| 2 | | | | THIS DOCUMENT |
| 1 | | | | FURPHY FOUND IN ANY FORM IS |





FURPHY FOUNDRY PTY LTD
THIS DOCUMENT IS AND SHALL REMAIN THE PROPERTY OF
FURPHY FOUNDRY. UNAUTHORISED USE OF THIS DOCUMENT
IN ANY FORM IS PROHIBITED.

| | —F- | |
|---|------------------|---|
| F | JRPI | Y |
| | FOUNDRY EST. 186 | _ |

Furphy Foundry Pty Ltd PH: (03) 5831 2777
A.B.N. 24 007 195 913 FAX: (03) 5831 2881
21 Drummond Rd, www.furphyfoundry.com.au
sales@furphyfoundry.com.au

| CLIENT NAME | PROJECT No. | PAGE |
|-------------------------|-------------|----------------|
| FURPHY FOUNDRY | FFSA001001 | A4 |
| PROJECT | DATE: | DRAWN |
| METRO BENCH - BOLT DOWN | 14-03-19 | PS |
| - | DRAWING No. | SCALE NOTED |
| DRAWING TITLE | SHEET No. | REV. |
| PRELIMINARY | 001 | 1 |





MATERIALS:

Bench Ends - Recycled Cast aluminium Timbers Slats- Hardwood Timber Strap - Mild steel



DIMENSIONS:


mm unless otherwise stated


FINISH:

Castings - Mill Finish or Optional Powder Coat Timber - Oil Based

GROUND ATTACHMENT:

Bolt down







BOLT DOWN DETAIL


Ø10 THRU
4 LOCATIONS





| Г | # | DESCRIPTION | BY | DATE | DRAWN | DRAWN DATE | CH | HECKED | CHECKED DATE | SCAL | A4 |
|-----------|----|---------------------|-----|----------|------------|----------------------------|----|--------|--------------|------------|--------|
| Ιz | 1 | ORIGINAL DRAWING | DN | 25.11.10 | R.CRIGHTON | 28.11.13 | | | | N/A | A4 |
| $1 \cong$ | 12 | FULL PRODUCT REVIEW | RBC | 28.11.13 | | -F- | | | PLAZA BE | | |
| | 3 | | | | | FUDDI | | | SPEC |) . | |
| R R | 4 | | | | | FURPH FOUNDRY EST. 1864 | | Е | FSA001010 | REV. | SHEET |
| L | 5 | | | | + 7 | | | Į. | 1 34001010 | 2 | 1 OF 3 |


























Material:

Frame & Slats: Mild Steel Construction

Dimensions:


All in mm unless otherwise stated


Finish:

Steel - Galvanised and optional Powder Coat

Ground Fixings: In ground










| Г | # | DESCRIPTION | BY | DATE | DRAWN | DRAWN DATE | CH | HECKED | CHECKED DATE | SCALI | Λ / |
|-------------|---|---------------------|-----|----------|------------|----------------------------|----|--------|-----------------|--------------|--------|
| Įz | 1 | ORIGINAL DRAWING | DN | 19.7.10 | R.CRIGHTON | 11.12.13 | | | | N/A | M4 |
| NOIS!/ | 2 | FULL PRODUCT REVIEW | RBC | 11.12.13 | | _E_ | | ST | EEL SLATTED BEN | ICH - IN GRO | DUND |
| \frac{1}{5} | 3 | | | | | | - | | SPEC |) . | |
| H H | 4 | | | | | FURPH FOUNDRY EST. 1864 | IY | _ | FSB001007 | REV. | SHEET |
| L | 5 | | | | + 7 | | | Г | F36001007 | 2 | 1 OF 2 |



MATERIAL:

Seat ends - Recycled cast aluminium Frame & Slats - Mild Steel construction

Quality ISO 9001 **SAI GLOBAL**

DIMENSIONS:


mm unless otherwise stated

FINISH:

Castings - Milled or Powder coat (optional) Slats - Galvanised with optional powder coat

GROUND ATTACHMENT:

Bolt down





CONFIDENTIAL

| Г | # | DESCRIPTION | BY | DATE | DRAWN | DRAWN DATE | CH | HECKED | CHECKED DATE | SCAL | |
|----|---|---------------------|-----|----------|------------|-------------------|----|--------|---------------------|------------|--------|
| Į | 1 | ORIGINAL DRAWING | DN | 12.11.10 | R.CRIGHTON | 27.11.13 | | | | N/A | M4 |
| | 2 | FULL PRODUCT REVIEW | RBC | 27.11.13 | T. | _F- | / | S | TEEL SLATTED CO | | 1CH |
| 12 | > | | | | | FURPH | | | SPEC |) . | |
| | 4 | | | | | FOUNDRY EST. 1864 | | | FSA001007 | REV. | SHEET |
| L | 5 | | | |) 7 | | | • | 1 3A00 100 <i>1</i> | 2 | 1 OF 4 |

