

1470 125 755 905

SPECIFICATION:

Material:

Frame: Mild Steel Construction Slats: Hardwood Timber 63x30mm

Dimensions:

All in mm unless otherwise stated


Finish:

Steel - Galvanised and optional Powder Coat

Timber - Oil Based

Ground Fixings:

Bolt down (sub surface mount)





copyright

Quality ISO 9001

SAI GLOBAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCAL	E ^ 1
Į	1	ORIGINAL DRAWING	SJ	28.4.10	R.CRIGHTON	13.12.13				N/A	- A4
12	2 3	FULL PRODUCT REVIEW	RBC	13.12.13		- F			CHAISE LC		
Iš	3					FUDDU			SPEC) .	
12	4					FURPH		_	FSB002008	REV.	SHEET
L	5				<u> </u>			Г	F3D002000	2	1 OF 3





SPECIFICATION:

MATERIALS:

Castings - Recycled Cast aluminium Timbers - Hardwood Timber Fixings - Grade 304 Stainless steel

DIMENSIONS:


mm unless otherwise stated


FINISH:

Castings - Mill Finish with polished arm rests Timber - Oil Based


GROUND FIXING:

Bolt down










Detail A **BOLT DOWN DETAIL** TIMBERS AND ARM **REST REMOVED** FOR CLARRITY



CONFIDENTIAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCAL	A4
Įz	1	ORIGINAL DRAWING	DN	28.10.10	R.CRIGHTON	4.12.13				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	4.12.13		_ E_			CORSO S	SEAT	
\ <u>\</u>	1 -								SPEC).	
R	4					FURPH	Y	_	FSA002026	REV.	SHEET
L	5				<u> </u>	FOUNDRY EST. 1864		Г	F3A002020	2	1 OF 3



MATERIALS:

Main construction - Recycled Cast aluminium Timbers - Hard wood Strap - Mild steel

DIMENSIONS:


mm unless otherwise stated

FINISH:

Castings - Mill or optional Powder coat Timber - Oil Based


ATTACHMENT:


Bolt down





NOTE: Optional logo can be added to casting a more unique look.








copyright


CONFIDENTIAL


Γ	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHEC	KED	CHECKED DATE	SCALI	A4
Į	1	ORIGINAL DRAWING	DN	19.10.10	R.CRIGHTON	29.11.13				N/A	A4
NOIOI	2	FULL PRODUCT REVIEW	RBC	29.11.13		_E_			COUNCIL		
١š	3						-		SPEC		
	4					FURPH FOUNDRY EST. 1864	IY	_	FSA002004	REV.	SHEET
L	5				7			Г	F3A002004	2	1 OF 3



612

175





SPECIFICATION:

MATERIALS:

Bench Ends - Recycled Cast aluminium Timbers - Hardwood Timber Straps - Grade 304 Stainless steel Fixings - Grade 304 Stainless steel

Quality Quality

ISO 9001

DIMENSIONS:

mm unless otherwise stated

FINISH:


Castings - Mill Finish or Optional Powder Coat Timber - Oil Based


ATTACHMENT:

Bolt down



	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	IECKED	CHECKED DATE	SCAL	E A4
Įz	1	ORIGINAL DRAWING	DN	21.10.10	R.CRIGHTON	26.6.14				N/A	A4
NO	2	FULL PRODUCT REVIEW	RBC	26.6.14					DELTA S		
	3					",			SPEC) .	
R	4					FURPH FOUNDRY EST. 1864	Y		FSA002002	REV.	SHEET
	5				+ 7	. JOHDAY 281. 1884		Г	1 3/100/2002	2	1 OF 3





MATERIALS:

Seat Ends - Recycled Cast aluminium Timbers - Hardwood Timber Straps - Mild steel Fixings - Zinc

Quality ISO 9001 **SAI GLOBAL**

DIMENSIONS:


mm unless otherwise stated


FINISH:

Castings - Powder Coat or Mill Strap - Powder Coat Timber - Oil Based

GROUND FIXING:

Bolt down










CONFIDENTIAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALE	
=	<u> 1</u>	ORIGINAL DRAWING	DN	14.10.10	R.CRIGHTON	2.12.13				N/A	A4
-12	기 2	FULL PRODUCT REVIEW	RBC	2.12.13	T.	-E-	e pesser		FIESTA S		
	>∟_								SPEC) .	
	4					FURPH	IY	_	FSA002016	REV.	SHEET
L	5				+ 7	FOUNDRY EST. 1864		Γ	1 3AUU2U10	2	1 OF 3










FLINDERS RANGE FLINDERS SEAT FFSB002400




FURPHY FOUNDRY PTY LTD PH: (03) 5831 2777 FAX: (03) 5831 2681

A.B.N. 24 007 195 913 www.furphyfoundry.com.au 21 Drummond Rd, sales@furphyfoundry.com.au Shepparton VIC 3630

THIS DOCUMENT IS AND SHALL REMAIN THE PROPERTY OF FURPHY FOUNDRY. UNAUTHORISED USE OF THIS DOCUMENT IN ANY FORM IS PROHIBITED.





MATERIALS:

Seat Ends - Recycled Cast aluminium Timbers - Hardwood Timber Straps - Grade 304 Stainless steel Fixings - Grade 304 Stainless steel

Quality ISO 9001 **SAI GLOBAL**

DIMENSIONS:


mm unless otherwise stated


FINISH:

Castings - Powder Coat or Mill Finish Strap - Linished Timber - Oil Based

GROUND FIXING:

Bolt down








copyright


l	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALE	Λ 1
:	z 1	ORIGINAL DRAWING	DN	16.5.11	R.CRIGHTON	4.12.13				N/A	A4
ı١	2 2	FULL PRODUCT REVIEW	RBC	4.12.13	1				FORESHOR		

ΙZ		ORIGINAL DRAWING	DN	16.5.11	R.CRIGHTON	4.12.13				IN/A	
NO	2	FULL PRODUCT REVIEW	RBC	4.12.13					FORESHOR	E SEAT	
NSIN									SPEC) .	
R R	4					FURPH	Y	_	FSA002025	REV.	SHEET
L	5				+ ,	, out the same of		'	1 3/100/2023	2	1 OF 3









MATERIAL:

Seat ends - Recycled Cast aluminium Straps - Mild steel Timber Slats - Hardwood

DIMENSIONS:

mm unless otherwise stated

FINISH:

Castings - Powder coated Straps - Powder coated Timber - Oil based

GROUND FIXING:

Bolt down



ISO 9001

SAI GLOBAL




	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALE	Λ 1
 	1	ORIGINAL DRAWING	DN	17.9.10	R.CRIGHTON	30.11.13				N/A	M4
10	2	ELILL DDODLICT DEVIEW	DDC	30 11 13					LIEDITAGE	CEAT	


SIC	2 FULL PRODUCT REVIEW	RBC	30.11.13			HERITAGE SE	AT	
Ι⋝	[3]				FUDDAY	SPEC.		
묎	4				FURPHY FOUNDRY EST, 1864	FFSA002006	REV.	SHEET
	5)		11 3A002000	2	1 OF 3


1:10@A3

BENCH & SEAT CONFIGURATIONS SHOWN AS EXAMPLES ONLY
















HORIZON RANGE FFSB001051 STRAIGHT MODULE

BENCH & SEAT CONFIGURATIONS SHOWN AS EXAMPLES ONLY









HORIZON RANGE

FFSB001052 TRIANGLE MODULE

BENCH & SEAT CONFIGURATIONS SHOWN AS EXAMPLES ONLY














HORIZON RANGE

FFSB002020 1800mm SEAT




HORIZON RANGE

FFSB002021 3000mm SEAT




















MATERIAL:

Main construction - 304 Stainless steel Slats - Hardwood timber Fixings - Stainless steel

Quality ISO 9001

SAI GLOBAL

DIMENSIONS:


mm unless otherwise stated

FINISH:

Stainless steel components - Polished Timbers - Oil based

GROUND ATTACHEMENT:


Bolt down




BOLT DOWN DETAIL SLATS REMOVED FOR CLARITY




Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	Λ 1
Iz	1	ORIGINAL DRAWING	DN	24.9.10	R.CRIGHTON	4.2.14			N/A	- A4
NOION	2	FULL PRODUCT REVIEW	RBC	4.2.14		_E_		LYNDARUM SEAT		V
Iš	3							SPE	C .	
	4					FURPH FOUNDRY EST, 1864	Y	FFSC002001	REV.	SHEET
L	5				7			FF3C002001	2	1 OF 3





70



1814

1200

SPECIFICATION:

MATERIAL:

Main construction - 304 Stainless steel Slats - Hardwood timber Fixings - Stainless steel

DIMENSIONS:

mm unless otherwise stated


FINISH:

Stainless steel components - Polished Timbers - Oil based

GROUND ATTACHEMENT:

Bolt down

70









Quality ISO 9001

SAI GLOBAL

Γ	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALI	Λ /
2	2 1	ORIGINAL DRAWING	DN	30.9.10	R.CRIGHTON	4.2.14				N/A	M4
15	2	FULL PRODUCT REVIEW	RBC	4.2.14		-F-		LYNDAI	RUM SEAT (ARM R	ESTS) - BO	LT DOWN
	3					FUDDU			` SPEC	·.	
	4					FURPH		_	FSC002003	REV.	SHEET
	5				7			Г	F3C002003	2	1 OF 3





MATERIAL:

Main construction - 304 Stainless steel Slats - Hardwood timber Fixings - Stainless steel

Quality ISO 9001 **SAI GLOBAL**

DIMENSIONS:


mm unless otherwise stated


FINISH:

Stainless steel components - Polished Timbers - Oil based

GROUND ATTACHEMENT:

In ground









CONFIDENTIAL

	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALI	A4
Įz	1	ORIGINAL DRAWING	DN	1.10.10	R.CRIGHTON	5.2.14				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	5.2.14		_@_		LYNDA	RUM SEAT (ARM F	RESTS) - IN	GROUND
	3					-17-			` SPEC).	
A H	4					FURPH	IY		FSC002004	REV.	SHEET
	5				Y 7	FOUNDRY EST. 1864		Г	F3C002004	2	1 OF 3







MATERIAL:

Mild steel unless otherwise stated Slats: Hardwood Timber 63x30mm Quality
ISO 9001

DIMENSIONS:


All in mm unless otherwise stated


FINISH:

Steel - Galvanised and optional Powder Coat Timber - Oil Based

GROUND FIXINGS:

Bolt Down






(C)	copyright
CONFI	DENTIAL

ı	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	امما
:	z 1	ORIGINAL DRAWING	DN	6.7.10	R.CRIGHTON	14.12.13			N/A	M4
	2 2 3	FULL PRODUCT REVIEW	RBC	14.12.13				PARK SI	EAT	
H	2 3							SPEC).	

FFSB002013

REV. SHEET 1 OF 3



MATERIALS:

Seat Ends - Recycled Cast aluminium Timbers - Hardwood Timber Straps - Mild steel Fixings - Grade 304 Stainless steel

DIMENSIONS:


mm unless otherwise stated


FINISH:

Castings - Powder Coat Strap - Powder Coat Timber - Oil Based

GROUND FIXING:

Bolt down
















Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	IECKED	CHECKED DATE	SCAL	
Į	1	ORIGINAL DRAWING	DN	1.11.10	R.CRIGHTON	2.12.13				N/A	M4
ı≥	(12	FULL PRODUCT REVIEW	RBC	2.12.13		_F-			PREMIER		
\ <u>\</u>	3					ELIPPIN			SPEC) .	
l L	4					FURPH FOUNDRY EST. 1864	Y		FSA002013	REV.	SHEET
L	5)			ı	1 3A002013	2	1 OF 3











MATERIAL:

Seat ends - Cast aluminium Straps - Mild steel Slats - Hardwood timber

DIMENSIONS:

mm unless otherwise stated


FINISH:

Castings - Powder coated Straps - Powder coated Timber - Oil based



C copyright

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	IECKED	CHECKED DATE	SCALE	
Į	1	ORIGINAL DRAWING	DN	24.11.10	R.CRIGHTON	3.11.13				N/A	- A4
-12	212	FULL PRODUCT REVIEW	RBC	3.11.13					ROTHERMAI		
۷ ا	3							SPEC.			
lμ	4					FURPH FOUNDRY EST. 1864	Y		FSA002019	REV.	SHEET
	5				Y 7	POUNDAY EST. 1804		Γ	F3A002019	2	1 OF 4



MATERIALS:

Seat Ends - Recycled Cast aluminium Timbers - Hardwood Timber Straps - Mild steel Fixings - Zinc

DIMENSIONS:


mm unless otherwise stated


FINISH:

Castings - Powder Coat or Mill Finish Strap - Powder Coat Timber - Oil Based

GROUND FIXING:

Bolt down










Quality

ISO 9001

SAI GLOBAL

CONFIDENTIAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	СН	ECKED	CHECKED DATE	SCALE	Λ /	
Į	1	ORIGINAL DRAWING	DN	14.10.10	R.CRIGHTON	HTON 2.12.13				N/A	M4	
-1⊆	212	FULL PRODUCT REVIEW	RBC	2.12.13		-F-			SOUTHBAN			
۷ ا	3					FUDDL			SPEC	.		
Ц	4					FURPL			FSA002012	REV.	SHEET	
	5)			Г	F3A002012	2	1 OF 3	



MATERIALS:

Seat Ends - Recycled Cast aluminium Timbers - Hardwood Timber Straps - Grade 304 Stainless steel Fixings - Grade 304 Stainless steel

DIMENSIONS:


mm unless otherwise stated


FINISH:

Castings - Powder Coat Strap - Grade 304 Stainless steel Timber - Oil Based

GROUND FIXING:

Bolt down








CONFIDENTIAL


Quality

ISO 9001

SAI GLOBAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALE	Λ /
Įz	1	ORIGINAL DRAWING	DN	9.12.10	R.CRIGHTON	3.12.13				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	3.12.13		-F-			SOVEREIGI		
	3					FUDDU			SPEC).	
ᇤ	4					FURPH		Е	FSA002018	REV.	SHEET
	5)			Į	1 3AUU2U10	2	1 OF 3





Material:

Frame & Slats: Mild Steel Construction


Quality ISO 9001 SAI GLOBAL


Dimensions: All in mm unless otherwise stated


Finish:

Steel - Galvanised and optional Powder Coat

Ground Fixings:Bolt Down








Detail A SLATS REMOVED FOR CLARRITY



	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCAL	E
	-ı ·	ORIGINAL DRAWING			R.CRIGHTON	22.11.14				N/A	A4
	$\frac{2}{2}$	FULL PRODUCT REVIEW	RBC	22.11.14		_F_		STEEL S	SLATTED CIRCULA		OLT DOWN
۔ ا	>∟_								SPEC) .	
L	<u></u> 4					FURPH		_	FSB002003	REV.	SHEET
L	5)			ı	1 30002003	1	1 OF 2



MATERIAL:

Seat ends - Recycled cast aluminium Frame & Slats - Mild Steel construction

DIMENSIONS:

mm unless otherwise stated

FINISH:


Castings - Milled or Powder coat (optional) Slats - Galvanised with optional powder coat


GROUND ATTACHMENT:

Bolt down














Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHE	ECKED	CHECKED DATE	SCALE	
Į	1	ORIGINAL DRAWING	DN	8.11.10	R.CRIGHTON	1.12.13				N/A	A4
-12	! 2	FULL PRODUCT REVIEW	RBC	1.12.13		_F_		(STEEL SLATTED C	DUNCIL SE	ΑT
۷ ا	3								SPEC	•	
	4					FURPH		_	FSA002007	REV.	SHEET
	5				7			Г	F3AUU2UU1	2	1 OF 4



573





SPECIFICATION:

Material:

Frame & Slats: Mild Steel Construction

Dimensions:

All in mm unless otherwise stated


Quality ISO 9001

SAI GLOBAL

Finish:

Steel - Galvanised and optional Powder Coat

Ground Fixings:Bolt Down



Detail A SLATS REMOVED FOR CLARITY



CONFIDENTIAL


ı	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	Λ 1
:		ORIGINAL DRAWING	DN	13.7.10	R.CRIGHTON	11.12.13			N/A	A4
- 10	2 2	FULL PRODUCT REVIEW	RBC	11.12.13		(e	ST	FEL SLATTED SEA	AT - BOLT DOWN	

REVISI 3 4





SPEC.

FFSB002001	REV.	SHEET 1 OF 2
		1



573





SPECIFICATION:

Material:

Frame & Slats: Mild Steel Construction

Dimensions:

All in mm unless otherwise stated



Quality ISO 9001


SAIGLOBAL

Finish:

Steel - Galvanised and optional Powder Coat

Ground Fixings:


Bolt Down





copyright

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	IECKED	CHECKED DATE	SCAL	A4
Įz	1	ORIGINAL DRAWING	DN	13.7.10	R.CRIGHTON	11.12.13				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	11.12.13				ST	EEL SLATTED SEA	AT (ARM RE	STS)
	3								- BOLT DOWN	N - SPEC.	•
R	4					FURPH FOUNDRY EST, 1864	Y		FSB002002	REV.	SHEET
L	5				+ 7			ı	1 30002002	2	1 OF 2



Material:

Frame & Slats: Mild Steel Construction

Quality ISO 9001 **SAI GLOBAL**


Dimensions:


All in mm unless otherwise stated

Finish:

Steel - Galvanised and optional Powder Coat


Ground Fixings: In ground







Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED		CHECKED DATE	SCALI	A4	
Įz		ORIGINAL DRAWING	DN	14.7.10	R.CRIGHTON	11.12.13				N/A	A4	
	2	FULL PRODUCT REVIEW	RBC	11.12.13		_F_		STEEL SLATTED SEAT - IN GROUND				
								SPEC.				
R	4				T	FURPH	IY	_	FSB002011	REV.	SHEET	
L	5				+ 7	FOUNDRY EST. 1864		I	1 30002011	2	1 OF 2	



SPECIFICATION:

Material:

Frame & Slats: Mild Steel Construction

Dimensions:

All in mm unless otherwise stated

Finish:

Steel - Galvanised and optional Powder Coat

Ground Fixings:


In ground




Quality ISO 9001


SAI GLOBAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED		CHECKED DATE	SCAL	E A4	
Į	1	ORIGINAL DRAWING	DN	14.7.10	R.CRIGHTON	11.12.13				N/A	A4	
	2 3	FULL PRODUCT REVIEW	RBC	11.12.13		_F_		STEEL SLATTED SEAT (ARM RESTS) - IN GROUND SPEC.				
۱ĕ	3											
Цď	4					FURPH			FSB002012	REV.	SHEET	
L	5				<u> </u>			ı	1 30002012	2	1 OF 2	











© FURPHY FOUNDRY PTY LTD

PH: (03) 5831 2777 FAX: (03) 5831 2681 www.furphyfoundry.com.au Shepparton VIC 3630 sales@furphyfoundry.com.au

CLIENT NAME	PROJECT No.	PAGE
FURPHY FOUNDRY	FFSB002005	A4
PROJECT	DATE:	DRAWN
WOODGROVE SEAT - BOLT DOWN (WITH ARMS)	05-03-19	PS
-	DRAWING No. 004	SCALE NOTED
DRAWING TITLE	SHEET No.	REV.
PRELIMINARY	001	1

