

1470 125 755 905

SPECIFICATION:

Material:

Frame: Mild Steel Construction Slats: Hardwood Timber 63x30mm

Dimensions:


All in mm unless otherwise stated

Finish:

Steel - Galvanised and optional Powder Coat Timber - Oil Based

Ground Fixings:

Bolt down (sub surface mount)







Quality ISO 9001

SAI GLOBAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	IECKED	CHECKED DATE	SCALI	A4
Iz	1	ORIGINAL DRAWING	SJ	28.4.10	R.CRIGHTON	13.12.13				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	13.12.13		_F_			CHAISE LC		
	3					FUDDU			SPEC) .	
A F	4					FURPH FOUNDRY EST. 1864		Е	FSB002008	REV.	SHEET
L	5) 7			Г	F3D002000	2	1 OF 3





MATERIALS:

Castings - Recycled Cast aluminium Timbers - Hardwood Timber Fixings - Grade 304 Stainless steel

DIMENSIONS:


mm unless otherwise stated


FINISH:


Castings - Mill Finish with polished arm rests Timber - Oil Based

GROUND FIXING:


Bolt down







55




Detail A **BOLT DOWN DETAIL** TIMBERS AND ARM **REST REMOVED** FOR CLARRITY



Ø12 THRU

Ø24 C.B. 1 PER FOOT

	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALI	E A4
Įz		ORIGINAL DRAWING	DN	28.10.10	R.CRIGHTON	4.12.13				N/A	A4
18	2	FULL PRODUCT REVIEW	RBC	4.12.13	1	_E_			CORSO S		
	3								SPEC) .	
RE	4					FURPH	Y		FSA002026	REV.	SHEET
L	5)	FOUNDRY EST. 1864		ı	1 3AUU2U2U	2	1 OF 3



MATERIALS:

Main construction - Recycled Cast aluminium Timbers - Hard wood Strap - Mild steel

DIMENSIONS:


mm unless otherwise stated

FINISH:

Castings - Mill or optional Powder coat Timber - Oil Based


ATTACHMENT:


Bolt down





NOTE: Optional logo can be added to casting a more unique look.









copyright


Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALE	A4
Iz		ORIGINAL DRAWING	DN	19.10.10	R.CRIGHTON	29.11.13				N/A	A4
	2 3	FULL PRODUCT REVIEW	RBC	29.11.13		_E_			COUNCIL	SEAT	
									SPEC) .	
	4					FURPH	Y	_	FSA002004	REV.	SHEET
	5				7	100110111111111111111111111111111111111		Г	F3A002004	2	1 OF 3



612

175





SPECIFICATION:

MATERIALS:

Bench Ends - Recycled Cast aluminium Timbers - Hardwood Timber Straps - Grade 304 Stainless steel Fixings - Grade 304 Stainless steel

Quality

ISO 9001

SAI GLOBAL

DIMENSIONS:

mm unless otherwise stated

FINISH:

Castings - Mill Finish or Optional Powder Coat Timber - Oil Based


ATTACHMENT:


Bolt down



CONFIDENTIAL

	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	IECKED	CHECKED DATE	SCAL	E A4
Įz	1	ORIGINAL DRAWING	DN	21.10.10	R.CRIGHTON	26.6.14				N/A	A4
NO	2	FULL PRODUCT REVIEW	RBC	26.6.14					DELTA S		
	3					",			SPEC) .	
R	4					FURPI-	Y		FSA002002	REV.	SHEET
	5				+ 7	. JONDAY 281. 1884		Г	1 3/100/2002	2	1 OF 3





MATERIALS:

Seat Ends - Recycled Cast aluminium Timbers - Hardwood Timber Straps - Mild steel Fixings - Zinc

Quality ISO 9001 **SAI GLOBAL**

DIMENSIONS:


mm unless otherwise stated


FINISH:

Castings - Powder Coat or Mill Strap - Powder Coat Timber - Oil Based

GROUND FIXING:

Bolt down










CONFIDENTIAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALE	
=	<u> 1</u>	ORIGINAL DRAWING	DN	14.10.10	R.CRIGHTON	2.12.13				N/A	A4
-12	기 2	FULL PRODUCT REVIEW	RBC	2.12.13	T.	-E-	e pesser		FIESTA S		
	>∟_								SPEC) .	
	4					FURPH	IY	_	FSA002016	REV.	SHEET
L	5				+ 7	FOUNDRY EST. 1864		F	1 3AUU2U10	2	1 OF 3










FLINDERS RANGE FLINDERS SEAT


FFSB002400

FURPHY FOUNDRY PTY LTD

PH: (03) 5831 2777 FAX: (03) 5831 2681 A.B.N. 24 007 195 913 www.furphyfoundry.com.au 21 Drummond Rd, sales@furphyfoundry.com.au Shepparton VIC 3630

THIS DOCUMENT IS AND SHALL REMAIN THE PROPERTY OF FURPHY FOUNDRY. UNAUTHORISED USE OF THIS DOCUMENT IN ANY FORM IS PROHIBITED.





MATERIALS:

Seat Ends - Recycled Cast aluminium Timbers - Hardwood Timber Straps - Grade 304 Stainless steel Fixings - Grade 304 Stainless steel Quality ISO 9001

DIMENSIONS:


mm unless otherwise stated

FINISH:


Castings - Powder Coat or Mill Finish Strap - Linished Timber - Oil Based

GROUND FIXING:

Bolt down



4 LOCATIONS





1700


CONFIDENTIAL


copyright

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALE	A4
Į	1	ORIGINAL DRAWING	DN	16.5.11	R.CRIGHTON	4.12.13				N/A	A4
2	2	FULL PRODUCT REVIEW	RBC	4.12.13					FORESHOR	E SEAT	
\sqrt{\sq}\}}}}}}}} \end{\sqrt{\sq}}}}}}}}}}} \end{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}}}}}}} \end{\sqrt{\sqrt{\sqrt{\sq}}}}}}}}} \end{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}}}}}} \end{\sqrt{\sqrt{\sqrt{\sq}}}}}}}} \sqrt{\sqrt{\	> U								SPEC		
lщ	4					FURPH	Y	_	FSA002025	REV.	SHEET
	5				7	POUNDAY EST. 1864		Г	F3A002023	2	1 OF 3









MATERIAL:

Seat ends - Recycled Cast aluminium Straps - Mild steel Timber Slats - Hardwood

DIMENSIONS:

mm unless otherwise stated

FINISH:

Castings - Powder coated Straps - Powder coated Timber - Oil based

GROUND FIXING:

Bolt down



SAI GLOBAL




IOI	O FULL PROPLICE DEVIEW	550	00 44 40							
z	1 ORIGINAL DRAWING	DN	17.9.10	R.CRIGHTON	30.11.13				N/A	/ \4
	# DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHE	ECKED	CHECKED DATE	SCALE	$\Lambda \Lambda$


	2	FULL PRODUCT REVIEW	RBC	30.11.13			HERITAGE SE	AT	
	- 1 -					FUDDHY	SPEC.		
l L	4					FURPHY FOUNDRY EST. 1864	FFSA002006	REV.	SHEET
L	5)		11 3A002000	2	1 OF 3


1:10@A3

BENCH & SEAT CONFIGURATIONS SHOWN AS EXAMPLES ONLY
















HORIZON RANGE FFSB001051 STRAIGHT MODULE

BENCH & SEAT CONFIGURATIONS SHOWN AS EXAMPLES ONLY










HORIZON RANGE

FFSB001052 TRIANGLE MODULE

BENCH & SEAT CONFIGURATIONS SHOWN AS EXAMPLES ONLY














HORIZON RANGE

FFSB002020 1800mm SEAT




HORIZON RANGE

FFSB002021 3000mm SEAT




















SPECIFICATION:

MATERIAL:

Main construction - 304 Stainless steel Slats - Hardwood timber Fixings - Stainless steel



DIMENSIONS:


mm unless otherwise stated

FINISH:

Stainless steel components - Polished Timbers - Oil based

GROUND ATTACHEMENT:

Bolt down





BOLT DOWN DETAIL SLATS REMOVED FOR CLARITY




CONFIDENTIAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALE	A4
Įz	1	ORIGINAL DRAWING	DN	24.9.10	R.CRIGHTON	4.2.14				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	4.2.14		_E_			LYNDARUM SEAT		/N
									SPEC) .	
A H	4					FURPH	Y		FSC002001	REV.	SHEET
L	5				7			Г	F3C002001	2	1 OF 3





70



1814

1200

SPECIFICATION:

MATERIAL:

Main construction - 304 Stainless steel Slats - Hardwood timber Fixings - Stainless steel

DIMENSIONS:

mm unless otherwise stated


FINISH:

Stainless steel components - Polished Timbers - Oil based

GROUND ATTACHEMENT:

Bolt down

70



SLATS REMOVED FOR CLARITY




copyright


CONFIDENTIAL

Quality ISO 9001

SAI GLOBAL

١	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	Cl	HECKED	CHECKED DATE	SCALE	A4
	<u>z</u> 1	ORIGINAL DRAWING	DN	30.9.10	R.CRIGHTON	4.2.14				N/A	A4
Ľ	있[2	FULL PRODUCT REVIEW	RBC	4.2.14		-F-		LYNDAI	RUM SEAT (ARM R	RESTS) - BO	LT DOWN
						FUDDU	IV		` SPEC) .	
	2 4					FURPH		_	FSC002003	REV.	SHEET
L	5)			1	30002003	2	1 OF 3





MATERIAL:

Main construction - 304 Stainless steel Slats - Hardwood timber Fixings - Stainless steel

Quality ISO 9001 **SAI GLOBAL**

DIMENSIONS:


mm unless otherwise stated


FINISH:

Stainless steel components - Polished Timbers - Oil based

GROUND ATTACHEMENT:

In ground









CONFIDENTIAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCAL	A4
Ιz	1	ORIGINAL DRAWING	DN	1.10.10	R.CRIGHTON	5.2.14				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	5.2.14		_@_		LYNDA	RUM SEAT (ARM F	RESTS) - IN	GROUND
	_					-11			` SPEC).	
14	4					FURPH	Y	_	FSC002004	REV.	SHEET
	5				+ 7	FOUNDRY EST. 1864		Г	F3C002004	2	1 OF 3







MATERIAL:

Mild steel unless otherwise stated Slats: Hardwood Timber 63x30mm Quality ISO 9001 **SAI GLOBAL**

DIMENSIONS:


All in mm unless otherwise stated


FINISH:

Steel - Galvanised and optional Powder Coat Timber - Oil Based

GROUND FIXINGS:

Bolt Down







SCALE	$ \wedge$ \wedge
N 1 / A	H41

Γ	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	Cl	HECKED	CHECKED DATE	SCALI	Λ /
Į	1	ORIGINAL DRAWING	DN	6.7.10	R.CRIGHTON	14.12.13				N/A	M4
NOIOI	2	FULL PRODUCT REVIEW	RBC	14.12.13		_E_			PARK SI		
									SPEC) .	
	4					FURPH	IY	_	FSB002013	REV.	SHEET
L	5)	FOUNDRY EST. 1864		Г	F3B002013	2	1 OF 3



1 PRELIMINARY RENDER CONCEPT

REV	ISION	DATE:	DRAWN BY.	
6				
5				
4				
3				© FURPHY FOUNDRY PTY LTD
2				THIS DOCUMENT IS AND SHALL REMAIN THE PROPERTY OF
1				FURPHY FOUNDRY. UNAUTHORISED USE OF THIS DOCUMENT IN ANY FORM IS PROHIBITED.



Furphy Foundry Pty Ltd
A.B.N. 24 007 195 913
21 Drummond Rd,
Shepparton VIC 3630

PH: (03) 5831 2777
FAX: (03) 5831 2681
www.furphyfoundry.com.au
sales@furphyfoundry.com.au

CLIENT NAME	PROJECT No.	PAGE
LMK PRECINCT SEAT	HDPE/STD.	A3
PROJECT	DATE:	DRAWN
HDPE STANDARD BENCH	08-04-21	PS
COLOUR	DRAWING No.	SCALE
COLOUR		NOTED
DRAWING TITLE	SHEET No.	REV.
3D RENDER IMAGE	000	1




1 PRELIMINARY RENDER CONCEPT

REV	SION	DATE:	DRAWN BY.	
6				
5				
4				
3				© FURPHY FOUNDRY PTY LTD
2				THIS DOCUMENT IS AND SHALL REMAIN THE PROPERTY OF
1				FURPHY FOUNDRY. UNAUTHORISED USE OF THIS DOCUMENT IN ANY FORM IS PROHIBITED.



Furphy Foundry Pty Ltd PH: (03) 5831 2777
A.B.N. 24 007 195 913 FAX: (03) 5831 2681
21 Drummond Rd, www.furphyfoundry.com.au
Shepparton VIC 3630 sales@furphyfoundry.com.au

CLIENT NAME	PROJECT No.	PAGE
LMK PRECINCT SEAT	HDPE/STD.	A3
PROJECT	DATE:	DRAWN
HDPE STANDARD BENCH	08-04-21	PS
COLOUR	DRAWING No.	SCALE
COLOUR		NOTED
DRAWING TITLE	SHEET No.	REV.
3D RENDER IMAGE	000	1



MATERIALS:

Seat Ends - Recycled Cast aluminium Timbers - Hardwood Timber Straps - Mild steel Fixings - Grade 304 Stainless steel

DIMENSIONS:


mm unless otherwise stated


FINISH:

Castings - Powder Coat Strap - Powder Coat Timber - Oil Based

GROUND FIXING:

Bolt down
















Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	IECKED	CHECKED DATE	SCALI	Δ		
=	1	ORIGINAL DRAWING	DN	1.11.10	R.CRIGHTON	2.12.13				N/A	A4		
-1≥	212	FULL PRODUCT REVIEW	RBC	2.12.13		_F-			PREMIER S				
											SPEC	•	
	4					FURPH FOUNDRY EST, 1864	IY		FSA002013	REV.	SHEET		
	5				7			Г	F3A002013	2	1 OF 3		











MATERIAL:

Seat ends - Cast aluminium Straps - Mild steel Slats - Hardwood timber

DIMENSIONS:

mm unless otherwise stated


FINISH:

Castings - Powder coated Straps - Powder coated Timber - Oil based



C copyright

	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALE	A4		
Iz	1	ORIGINAL DRAWING	DN	24.11.10	R.CRIGHTON	3.11.13				N/A	A4		
	2	FULL PRODUCT REVIEW	RBC	3.11.13					ROTHERMA				
											SPEC	; .	
씸	4					FURPH FOUNDRY EST. 1864	Y		FSA002019	REV.	SHEET		
	5				+	POUNDAY 251. 1804		.	F3A002019	2	1 OF 4		



MATERIALS:

Seat Ends - Recycled Cast aluminium Timbers - Hardwood Timber Straps - Mild steel Fixings - Zinc

DIMENSIONS:


mm unless otherwise stated


FINISH:

Castings - Powder Coat or Mill Finish Strap - Powder Coat Timber - Oil Based

GROUND FIXING:

Bolt down










Quality

ISO 9001

SAI GLOBAL

Γ	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHE	CKED	CHECKED DATE	SCALE			
=	1	ORIGINAL DRAWING	DN	14.10.10	R.CRIGHTON	2.12.13				N/A	- A4		
-12	212	FULL PRODUCT REVIEW	RBC	2.12.13		-F-			SOUTHBANK	(SEAT			
	3					ELLED LIV		FURPHY			SPEC	•	
	4					FOUNDRY EST. 1864			FSA002012	REV.	SHEET		
	5				7			Г	-3AUU2U12	2	1 OF 3		



MATERIALS:

Seat Ends - Recycled Cast aluminium Timbers - Hardwood Timber Straps - Grade 304 Stainless steel Fixings - Grade 304 Stainless steel

DIMENSIONS:


mm unless otherwise stated


FINISH:

Castings - Powder Coat Strap - Grade 304 Stainless steel Timber - Oil Based

GROUND FIXING:

Bolt down








Quality


ISO 9001

SAI GLOBAL

CONFIDENTIAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALE	Λ /
Įz	1	ORIGINAL DRAWING	DN	9.12.10	R.CRIGHTON	3.12.13				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	3.12.13		-F-			SOVEREIGI		
	3					FUDDU			SPEC).	
ᇤ	4					FURPH		Е	FSA002018	REV.	SHEET
	5				+ - - - - - - - - - -			Į	1 3AUU2U10	2	1 OF 3





Material:

Frame & Slats: Mild Steel Construction

Quality ISO 9001 SAI GLOBAL


Dimensions:


All in mm unless otherwise stated


Finish:

Steel - Galvanised and optional Powder Coat

Ground Fixings:Bolt Down








Detail A SLATS REMOVED FOR CLARRITY

copyright

	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	Cl	HECKED	CHECKED DATE	SCALI	E	A4
Iz	1	ORIGINAL DRAWING			R.CRIGHTON	22.11.14				N/A		~
19	2 3	FULL PRODUCT REVIEW	RBC	22.11.14		_F_		STEEL S	SLATTED CIRCULA		OLT DO	NWC
						FURRU			SPEC) .		
	4					FURPH	Y	_	FSB002003	REV.	SHEET	
	5)			Ī	1 30002003	1	1 OF	- 2



MATERIAL:

Seat ends - Recycled cast aluminium Frame & Slats - Mild Steel construction

DIMENSIONS:

mm unless otherwise stated

FINISH:


Castings - Milled or Powder coat (optional) Slats - Galvanised with optional powder coat


GROUND ATTACHMENT:

Bolt down














Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHE	ECKED	CHECKED DATE	SCALE			
Į	1	ORIGINAL DRAWING	DN	8.11.10	R.CRIGHTON	1.12.13				N/A	A4		
-12	! 2	FULL PRODUCT REVIEW	RBC	1.12.13		_F_		(STEEL SLATTED C	DUNCIL SE	ΑT		
۷ ا	3							FUDDIN			SPEC	•	
	4					FURPH		_	FSA002007	REV.	SHEET		
	5				7			Г	F3AUU2UU1	2	1 OF 4		



573





SPECIFICATION:

Material:

Frame & Slats: Mild Steel Construction

Dimensions:

All in mm unless otherwise stated


Quality ISO 9001

SAI GLOBAL

Finish:

Steel - Galvanised and optional Powder Coat

Ground Fixings:Bolt Down




Detail A SLATS REMOVED FOR CLARITY





CONFL	DENT	ITAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE CH		HECKED	CHECKED DATE	SCALE	Λ /	
Į	1	ORIGINAL DRAWING	DN	13.7.10	R.CRIGHTON	11.12.13				N/A	- A4	
	2	FULL PRODUCT REVIEW	RBC	11.12.13				STEEL SLATTED SEAT - BOLT DOWN				
١ĕ	3					FURPHY		SPEC.				
14	4						Y		FSB002001	REV.	SHEET	
	5				+	FOUNDRY EST. 1864		F	F3B002001	2	1 OF 2	



573





SPECIFICATION:

Material:

Frame & Slats: Mild Steel Construction

Dimensions:

All in mm unless otherwise stated



Quality ISO 9001


SAIGLOBAL

Finish:

Steel - Galvanised and optional Powder Coat

Ground Fixings:


Bolt Down





copyright

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALI	A4
Įz		ORIGINAL DRAWING	DN	13.7.10	R.CRIGHTON	11.12.13				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	11.12.13		_E_		ST	EEL SLATTED SEA	AT (ARM RE	STS)
								- BOLT DOWN - SPEC.			ŕ
R	4					FURPH	Y	E	FSB002002	REV.	SHEET
L	5				<u> </u>			•	1 30002002	2	1 OF 2



Material:

Frame & Slats: Mild Steel Construction

Quality ISO 9001 **SAI GLOBAL**


Dimensions:


All in mm unless otherwise stated

Finish:

Steel - Galvanised and optional Powder Coat


Ground Fixings: In ground







Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALI	A4
Įz	1	ORIGINAL DRAWING	DN	14.7.10	R.CRIGHTON	11.12.13				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	11.12.13		_E_		ST	EEL SLATTED SEA		UND
\ <u>\</u>								SPEC.			
R	4					FURPH	IY		FSB002011	REV.	SHEET
L	5				<u> </u>	FOUNDRY EST. 1864		Γ	F3B002011	2	1 OF 2



SPECIFICATION:

Material:

Frame & Slats: Mild Steel Construction

Dimensions:

All in mm unless otherwise stated

Finish:

Steel - Galvanised and optional Powder Coat

Ground Fixings:


In ground




Quality ISO 9001


SAI GLOBAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED		CHECKED DATE SCALE		E A4	
Į	1	ORIGINAL DRAWING	DN	14.7.10	R.CRIGHTON	11.12.13				N/A	A4	
	2 3	FULL PRODUCT REVIEW	RBC	11.12.13		FURPHY FOUNDRY EST. 1804		STEEL SLATTED SEAT (ARM RESTS) - IN GROUN				
۱ĕ	3							SPEC.				
Цď	4							E	FSB002012	REV.	SHEET	
L	5				<u> </u>			ı	1 30002012	2	1 OF 2	











© FURPHY FOUNDRY PTY LTD

THIS DOCUMENT IS AND SHALL REMAIN THE PROPERTY OF

PH: (03) 5831 2777 FAX: (03) 5831 2681 www.furphyfoundry.com.au Shepparton VIC 3630 sales@furphyfoundry.com.au

CLIENT NAME	PROJECT No.	PAGE
FURPHY FOUNDRY	FFSB002005	A4
PROJECT	DATE:	DRAWN
WOODGROVE SEAT - BOLT DOWN (WITH ARMS)	05-03-19	PS
-	DRAWING No.	SCALE NOTED
DRAWING TITLE	SHEET No.	REV.
PRELIMINARY	001	1

