

MATERIALS:


Main construction - Recycled cast aluminium - 304 Stainless steel **Panels**

DIMENSIONS:

mm unless otherwise stated

FINISH:

No.4 Polished S/S Panels Mill Finish, Powdercoat or 2Pac Paint castings




GROUND ATTACHMENTS:

Bolt down with adjustable brass feet

ENTRY:

Side entry






Quality

ISO 9001

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	
2	2 1	ORIGINAL DRAWING	DN	12.4.11	R.CRIGHTON	25.11.13			N/A	- A4
1401017	2	FULL PRODUCT REVIEW	RBC	25.11.13		-E-		METRO LITTER RE		20L
								SPE	C .	
	4					FURPH	Y	FFSA013001	REV.	SHEET
	5)	FOUNDRY EST. 1864		FFSAUISUUI	2	1 OF 4



650

SPECIFICATION:

MATERIALS:

Main construction - Recycled cast aluminium Panels - 304 Stainless steel

DIMENSIONS:

mm unless otherwise stated

FINISH:


No.4 Polished S/S panels Mill finish, powdercoat or 2 pack paint castings

GROUND ATTACHMENTS:

Bolt down with adjustable brass feet

ENTRY:

Side entry







copyright

CONFIDENTIAL

Quality ISO 9001

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCAL	E A4
Įz	1	ORIGINAL DRAWING	RBC	10.12.13	R.CRIGHTON	10.12.13				N/A	A4
18	2					_E_			METRO RECYCL		L
									SPEC) .	
RE	4					FURPH FOUNDRY EST. 1864	Y		FSA013002	REV.	SHEET
L	5				+ 7	POUNDAY 251. 1864		I	1 3A013002	1	1 OF 4







MATERIALS:

Main construction - Recycled cast aluminium - 304 Stainless steel Panels

DIMENSIONS:

mm unless otherwise stated

FINISH:

No.4 Polished


GROUND ATTACHMENTS:


Bolt down with adjustable brass feet



CONFIDENTIAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	Cł	HECKED	CHECKED DATE	SCALE	Δ
Iz	1	ORIGINAL DRAWING	S	22.7.10	R.CRIGHTON	28.3.14				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	28.3.14				FU	LCRUM LITTER RE		120L
	3								SPEC		
A H H	4					FURPH	Y	_	FSA013007	REV.	SHEET
	5				Y 7	FOUNDRY EST. 1864			F3A013001	2	1 OF 4







MATERIALS:

Main construction - Recycled cast aluminium Panels - 304 Stainless steel

DIMENSIONS:

mm unless otherwise stated

FINISH:

No.4 Polished


GROUND ATTACHMENTS:


Bolt down with adjustable brass feet



CONFIDENTIAL

	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHE	CKED	CHECKED DATE	SCAL	
Iz	1	ORIGINAL DRAWING	SJ	22.7.10	R.CRIGHTON	2.4.14				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	2.4.14		_E_			FULCRUM RECYC	LE UNIT 12	0L
NOISIA	3								SPEC).	
A H	4					FURPH	IY		FSA013008	REV.	SHEET
	5				Y 7	FOUNDRY EST. 1864		Г	F3A013000	2	1 OF 4





MATERIAL:


Mild steel unless otherwise stated Slats: Hardwood timber

DIMENSIONS:


All in mm unless otherwise stated

FINISH:

Steel - Powder Coat Timber - Oil Based











copyright

Γ	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALI	A4
2	2 1	ORIGINAL DRAWING	DN	2.2.11	R.CRIGHTON	15.3.14				N/A	A4
	2 2	FULL PRODUCT REVIEW	RBC	15.3.14		-F-		AVENUE	LITTER RECEPTAG		SIDE ENTRY
	>								SPEC) .	
	4					FURPH		_	FSB013002	REV.	SHEET
L	5)			Г	1 30013002	2	1 OF 3





MATERIAL:


Mild steel unless otherwise stated Slats: Hardwood timber


DIMENSIONS:

All in mm unless otherwise stated

FINISH:

Steel - Powder Coat Timber - Oil Based











copyright

Γ	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALI	A4
	1	ORIGINAL DRAWING	DN	24.3.11	R.CRIGHTON	15.4.14				N/A	A4
NO OI	2 2	FULL PRODUCT REVIEW	RBC	15.4.14		_F_		MS .	AVENUE LITTER R		∃ 240L
- 1 -	- -								- SIDE ENTRY	7 - SPEC.	
	4					FURPH	Y		FSB013003	REV.	SHEET
L	5)			I	1 30013003	2	1 OF 3





MATERIAL:


Mild steel unless otherwise stated Slats: Hardwood timber

DIMENSIONS:

All in mm unless otherwise stated


FINISH:

Steel - Powder Coat Timber - Oil Based






§ SAI GLOBAL






copyright

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALE	Λ	\ <u>4</u>
Įz		ORIGINAL DRAWING	DN	2.2.11	R.CRIGHTON	16.3.14				N/A	A	۱4
IΩ	2 2	FULL PRODUCT REVIEW	RBC	16.3.14				AVENI	JE RECYCLE UNIT	120L - SIDE	ENTRY	,
<u>v.</u>	3								SPEC) .		
ШÄ	4					FURPH	IY	_	FSB013004	REV.	SHEET	
	5				7	FOUNDRY EST. 1864		Г	F30013004	2	1 OF 3	3





MATERIAL:


Mild steel unless otherwise stated Slats: Hardwood timber


DIMENSIONS:

All in mm unless otherwise stated

FINISH:

Steel - Galvanised and optional Powder Coat Timber - Oil Based









copyright

CONFIDENTIAL

Quality ISO 9001

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	IECKED	CHECKED DATE	SCAL	E A4
Z	1	ORIGINAL DRAWING	DN	2.2.11	R.CRIGHTON	15.4.14				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	15.4.14				Ŋ	MS AVENUE RECY		40L
	3								- SIDE ENTRY	/ - SPEC.	
R R	4					FURPH	Y		FSB013005	REV.	SHEET
L	5)	POUNDRY EST. 1864		ı	1 30013003	2	1 OF 3





MATERIAL:


Mild steel unless otherwise stated Slats: Hardwood timber


DIMENSIONS:

All in mm unless otherwise stated

FINISH:

Steel - Galvanised and optional Powder Coat Timber - Oil Based











copyright

	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALE	A4
Įz	1	ORIGINAL DRAWING	RBC	15.4.14	R.CRIGHTON	15.4.14				N/A	A4
OISIA	1 2 3					_F-		MS .	AVENUE LITTER R - PYRAMID LII		E 240L
R	4 5					FURPH FOUNDRY EST. 1804	Y	F	FSB013007	REV.	SHEET 1 OF 3





MATERIAL:


Mild steel unless otherwise stated Slats: Hardwood timber


DIMENSIONS:

All in mm unless otherwise stated

FINISH:

Steel - Powder Coat Timber - Oil Based








copyright

CONFIDENTIAL

Quality

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	Cl	HECKED	CHECKED DATE	SCALE	Ξ Λ	\ 4
Įz		ORIGINAL DRAWING	DN	2.2.11	R.CRIGHTON	16.3.14				N/A		14
IΩ	2 2	FULL PRODUCT REVIEW	RBC	16.3.14		_F_	10.0	AVENU	JE RECYCLE UNIT		AMID LID	5
<u>v.</u>	3								SPEC	C .		
ЯÄ	4					FURPH	Y	_	FSB013008	REV.	SHEET	
	5				7	TOURIST CONTROL		Г	F3D013000	2	1 OF 3	3



MATERIAL:


Mild steel unless otherwise stated Slats: Hardwood timber


DIMENSIONS:

All in mm unless otherwise stated

FINISH:

Steel - Galvanised and optional Powder Coat Timber - Oil Based











copyright

	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	СН	IECKED	CHECKED DATE	SCALE	A4
Ιz	1	ORIGINAL DRAWING	DN	2.2.11	R.CRIGHTON	15.4.14				N/A	A4
−ι⊆	12	FULL PRODUCT REVIEW	RBC	15.4.14				N	MS AVENUE RECY	CLE UNIT 24	-OL
<u> </u>	3								- PYRAMID LII	O - SPEC.	
A H	4					FURPH FOUNDRY EST. 1864	Y	_	FSB013009	REV.	SHEET
	5				7	POUNDRY EST. 1804		Г	F30013009	2	1 OF 3





830 814 OUTSIDE OF LID SIDES

SPECIFICATION:

MATERIAL:

Mild steel unless otherwise stated

Lid panel: Stainless steel

Slats: Hardwood timber / Modwood

DIMENSIONS:


All in mm unless otherwise stated


FINISH:

Steel - Powder Coated Lid - Polished No. 4 finish Timber - Oil Based

GOUND ATTACHMENT:

Bolt down






CONFIDENTIAL


copyright

Quality

ISO 9001 **SAI GLOBAL**

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKE	D CHECKED DAT	Έ	SCALE	
Iz	1	ORIGINAL DRAWING	DN	1.3.11	R.CRIGHTON	10.1.14				N/A	M4
	2	FULL PRODUCT REVIEW	RBC	10.1.14		-E-		ROADSIDE LITTER	RECE	EPTACLE	240L
NOISIA	3							SP	EC.		
RF	4					FURPH	TY	FFSB013011		REV.	SHEET
	5				+ 7			FF30013011		2	1 OF 3





830 814 **OUTSIDE OF LID SIDES**

SPECIFICATION:

MATERIAL:

Mild steel unless otherwise stated

Lid panel: Stainless steel

Slats: Hardwood timber / Modwood

DIMENSIONS:


All in mm unless otherwise stated

FINISH:


Steel - Powder Coated Lid - Polished No. 4 finish Timber - Oil Based

GOUND ATTACHMENT:

Bolt down








CONFIDENTIAL

Quality

ISO 9001 **SAI GLOBAL**

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECK	ED CHECKED DATE	SCAL	
Iz	1	ORIGINAL DRAWING	RBC	10.1.14	R.CRIGHTON	10.1.14			N/A	A4
	2							ROADSIDE RECY		0L
- 1 -								SPE	C.	
R H	4					FURPH FOUNDRY EST, 1864	IY	FFSB013013	REV.	SHEET
	5				+ 7	, 30NDAY 231. 1804		FF30013013	1	1 OF 3





MATERIAL:

Mild steel construction

DIMENSIONS:


All in mm unless otherwise stated

FINISH:


Galvanised with optional powder coat


GOUND ATTACHMENT:

Bolt down



5







CONFIDENTIAL

1 OF 3

2


Quality


ISO 9001

SAIGLOBAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	Λ /
_	1	ORIGINAL DRAWING	DN	14.2.11	R.CRIGHTON	13.1.14			N/A	
12	2	FULL PRODUCT REVIEW	RBC	13.1.14		_E_	В	ALLARAT LITTER RI	ECEPTACLE 120L	_
	3					",		SPEC	D.	
	4					FURPL		FFSB013014	REV. SHEE	T 2

REV. FFSB013014





MATERIAL:

Mild steel construction

DIMENSIONS:


All in mm unless otherwise stated

FINISH:


Galvanised with optional powder coat


GOUND ATTACHMENT:

Bolt down



5








CONFIDENTIAL

Quality

ISO 9001

1	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	ECKED	CHECKED DATE	SCALE	^
1	z 1	ORIGINAL DRAWING	RBC	13.1.14	R.CRIGHTON	13.1.14				N/A	A4
1	NOISI/ 3					_E_			BALLARAT RECYC	LE UNIT 120	L
1	3								SPEC) .	
1	발 삼					FURPH FOUNDRY EST, 1864	Y	Е	FSB013015	REV.	SHEET
-					7	700,000,700,700		Г	F36013013	1	1 OF 3



MATERIAL:

Mild steel unless otherwise stated Lid panel:Stainless steel Slats: Hardwood timber

DIMENSIONS:


All in mm unless otherwise stated

FINISH:

660

Steel - Galvanised and Powder Coated Lid - Polished Timber - Oil Based









Quality


ISO 9001 **SAI GLOBAL**

CONFIDENTIAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCAL	E 1
Įz	1	ORIGINAL DRAWING	DN	22.11.10	R.CRIGHTON	18.11.13				N/A	H4
NOISIA	2	FULL PRODUCT REVIEW	RBC	18.11.13		-F-		WOO	DGROVE LITTER		LE 120L
						FURPH			SPEC) .	
R H	4					FOUNDRY EST. 1864		Е	FSB013018	REV.	SHEET
L	5) 7				1 30013010	2	1 OF 3







MATERIAL:

Mild steel unless otherwise stated Lid panel:Stainless steel Slats: Hardwood timber

DIMENSIONS:

All in mm unless otherwise stated

FINISH:


Steel - Galvanised and Powder Coated Lid - Polished Timber - Oil Based






CONFIDENTIAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCAL	E A4
Į	1	ORIGINAL DRAWING	DN	2.2.11	R.CRIGHTON	20.11.13				N/A	A4
2	2	FULL PRODUCT REVIEW	RBC	20.11.13	1	_E_		W	OODGROVE REC		120L
	$\frac{2}{3}$								SPEC) .	
lщ	4					FURPH FOUNDRY EST. 1864	Y	Е	FSB013020	REV.	SHEET
L	5				<u> </u>	POUNDAY EST. 1864		ı	1 30013020	2	1 OF 3





MATERIAL:

Mild steel unless otherwise stated Lid panel:Stainless steel Slats: Hardwood timber


DIMENSIONS:


All in mm unless otherwise stated

FINISH:

Steel - Galvanised and Powder Coated Lid - Polished

Timber - Oil Based






copyright

Quality

ISO 9001 **SAI GLOBAL**

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALE	A4
=	1	ORIGINAL DRAWING	DN	31.1.11	R.CRIGHTON	22.11.13				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	22.11.13		_F_		W	OODGROVE RECY		240L
	- 1 -					FURPH			SPEC	.	
	4					FOUNDRY EST. 1864		_	FSB013021	REV.	SHEET
	5				+ 7			Г	1 300 1302 1	2	1 OF 3



MATERIAL:

Main construction - Mild steel

DIMENSIONS:

All in mm unless otherwise stated


FINISH:


Galvanised with optional powder coat

GROUND ATTACHEMENT:

Bolt down










copyright

CONFIDENTIAL

Quality

ISO 9001

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCAL	E
Ιz	1	ORIGINAL DRAWING	DN	3.2.11	R.CRIGHTON	14.1.14				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	14.1.14		_E_		STEEL SLA	ATTED AVENUE LIT	TER RECE	PTACLE 120
I⋚	3								SPEC) .	
A H H	4					FURPH	Y		FSB013022	REV.	SHEET
I^{-}	5				7	FOUNDRY EST. 1864			F30013022	2	1 OF 3



MATERIAL:

Main construction - Mild steel

DIMENSIONS:


All in mm unless otherwise stated


FINISH:

Galvanised with optional powder coat

GROUND ATTACHEMENT:

Bolt down







Quality

ISO 9001


SAIGLOBAL

CONFIDENTIAL

DESCRIPTION BY DATE **DRAWN DRAWN DATE CHECKED CHECKED DATE SCALE R.CRIGHTON** 14.1.14 N/A ORIGINAL DRAWING 1.2.11 DN 2 FULL PRODUCT REVIEW RBC 14.1.14



01 EO.		
FFSB013023	REV. 2	SHEET 1 OF 3



MATERIAL:

Main construction - Mild steel

DIMENSIONS:


All in mm unless otherwise stated


FINISH:


Galvanised with optional powder coat

GROUND ATTACHEMENT:

Bolt down










copyright

CONFIDENTIAL


Quality

ISO 9001

Γ	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALI	A4
_	1	ORIGINAL DRAWING	DN	3.2.11	R.CRIGHTON	14.1.14			N/A	A4
NOIOI	2	FULL PRODUCT REVIEW	RBC	14.1.14			STE	EL SLATTED AVENUE	RECYCLE	UNIT 120L
Ιš	3							SPE	C .	
	4					FURPH	Y	FFSB013024	REV.	SHEET
	5				7	POUNDRY EST. 1864		FF3D013024	2	1 OF 3



BOLT DOWN DETAIL LID HIDDEN FOR CLARRITY



SPECIFICATION:

MATERIAL:

Main construction - Mild steel

DIMENSIONS:


All in mm unless otherwise stated


FINISH:

Galvanised with optional powder coat

GROUND ATTACHEMENT:

Bolt down








copyright


CONFIDENTIAL

Quality

ISO 9001

Γ	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHE	CKED	CHECKED DATE	SCALI	A4
_	2 1	ORIGINAL DRAWING	DN	1.2.11	R.CRIGHTON	22.1.14				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	22.1.14				STEELS	SLATTED AVENUE		JNIT 240L
2	3					-17-			SPEC	; .	
	4					FURPH	Y		FSB013025	REV.	SHEET
	5				7	FOUNDRY EST. 1864		Г	F3D013023	2	1 OF 3





MATERIALS:

Main construction - Mild steel

DIMENSIONS:

mm unless otherwise stated

FINISH:


Powder coated


ATTACHMENT:

Bolt down

ENTRY:

Side entry









CONFIDENTIAL


DESCRIPTION CHECKED CHECKED DATE DATE **DRAWN DRAWN DATE** BY **SCALE R.CRIGHTON** N/A ORIGINAL DRAWING 27.1.14 SJ 31.1.11 FULL PRODUCT REVIEW **RBC** 27.1.14

1 ORIGINAL DRAWING
2 FULL PRODUCT REVIEW
RBC 27.1.14
3 4 5



CORIO LITTER RECEPTACLE 120L - SIDE ENTRY SPEC.

FFSB013026	REV.	SHEET 1 OF 4
------------	------	-----------------



696

SPECIFICATION:

MATERIAL:

Main construction - Mild steel

DIMENSIONS:


All in mm unless otherwise stated


FINISH:

Galvanised with optional powder coat

GROUND ATTACHEMENT:

Bolt down







copyright

CONFIDENTIAL

Quality

ISO 9001

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCAL	E A4
Įz	1	ORIGINAL DRAWING	DN	31.1.11	R.CRIGHTON	27.1.14				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	27.1.14		-F-	8	O	ORIO LITTER REC		40L
	3					FUDDIN			SPEC) .	
H H	4					FURPH	Y	_	FSB013027	REV.	SHEET
L	5)			ļ	1 30013021	2	1 OF 3



Main construction - Mild steel

DIMENSIONS:

mm unless otherwise stated

FINISH:

Powder coated

ATTACHMENT:


Bolt down


ENTRY:

Side entry

Ø120

600











Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALE	A4
=	2 1	ORIGINAL DRAWING	RBC	14.11.13	R.CRIGHTON	14.11.13				N/A	A4
	2 2					F-		CORI	O RECYCLE UNIT		ENTRY
- 1 -	>					FURPHY			SFEC		-
	4					FOUNDRY EST. 1864		F	FSB013028	REV.	SHEET 1 OF 4
L	5				ı			•	1 00010020	ı ı	1004



BOLT DOWN DETAIL LID HIDDEN FOR CLARRITY



SPECIFICATION:

MATERIAL:

Main construction - Mild steel

DIMENSIONS:


All in mm unless otherwise stated


FINISH:

Galvanised with optional powder coat

GROUND ATTACHEMENT:

Bolt down








copyright


CONFIDENTIAL


Quality


ISO 9001

Γ	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALI	A4
		ORIGINAL DRAWING	DN	28.1.11	R.CRIGHTON	27.1.14				N/A	A4
	2 2	FULL PRODUCT REVIEW	RBC	27.1.14				COR	O RECYCLE UNIT		ENTRY
۔ ا	>					FURPHY FOUNDRY EST. 1964			SPEC) .	
	4						Y	_	FSB013029	REV.	SHEET
L	5)	POUNDAY 251, 1864			1 30013029	2	1 OF 3









MATERIALS:

Body - Mild Steel Lid - Grade 304 Stainless Steel Adjustable Feet - Brass Guides

DIMENSIONS:

All in mm unless otherwise stated

FINISH:

Body - Powder Coat Colours Lid - Polished Stainless Steel or NO 4 Finish





copyright


CONFIDENTIAL


Quality ISO 9001 **SAIGLOBAL**

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALI	A4
Į	1	ORIGINAL DRAWING	SJ	3.2.11	R.CRIGHTON	28.1.14				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	28.1.14		_@_		STRE	ET SMART LITTER		LE 120L
\sqrt{2}	3								SPEC) .	
lц	4					FURPH	Y	_	FSB013042	REV.	SHEET
	5				7	FOUNDRY EST. 1864		Г	F30013042	2	1 OF 3











SPECIFICATION:

MATERIALS:

Body - Mild Steel Lid - Grade 304 Stainless Steel Adjustable Feet - Brass Guides

DIMENSIONS:

All in mm unless otherwise stated

FINISH:


Body - Powder Coat Colours Lid - Polished Stainless Steel or NO 4 Finish





copyright


CONFIDENTIAL

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALE	
;	<u> </u>	ORIGINAL DRAWING	SJ	12.12.11	R.CRIGHTON	15.11.13				N/A	- A4
- 12	212	FULL PRODUCT REVIEW	RBC	15.11.13		_6_		ST	REET SMART REC	YCLE UNIT	120L
	$\frac{n}{2}$ 3							SPEC) .	
	뷥4					FURPH	Y	_	FSB013043	REV.	SHEET
L	5				<u> </u>	FOUNDRY EST. 1864		Г	F3D013043	2	1 OF 3









MATERIALS:

Grade 304 Stainless Steel

DIMENSIONS:


All in mm unless otherwise stated


FINISH:

Polished exterior

GROUND ATTACHMENT:

Bolt down











copyright

	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCAL	A4
Įz	1	ORIGINAL DRAWING	SJ	6.12.11	R.CRIGHTON	10.3.14				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	10.3.14		_F-			DASIS LITTER REC		20L
$\frac{1}{8}$	1 -						-		SPEC).	
R R	4					FURPH FOUNDRY EST. 1864	Y	_	FSC013010	REV.	SHEET
L	5				7			Г	F3C013010	2	1 OF 3





MATERIALS:

Main construction - 304 Stainless Steel Panels - Galvanised steel (optional powder coat)

DIMENSIONS:


All in mm unless otherwise stated


FINISH:

Polished - No.4 Finish

ATTACHMENT:

Bolt down






copyright CONFIDENTIAL

Quality

Г	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CH	HECKED	CHECKED DATE	SCALI	A4
Įz	1	ORIGINAL DRAWING	DN	23.2.11	R.CRIGHTON	10.2.14				N/A	A4
	2	FULL PRODUCT REVIEW	RBC	10.2.14				LYN	IDARUM LITTER RI	CEPTACLE	120L
Iĕ	3								SPEC		
I H	4					FURPH	Y		FSC013013	REV.	SHEET
	5				7	FOUNDRY EST. 1864		FF3C013013		2	1 OF 2



5

SPECIFICATION:

MATERIALS:

Main construction - 304 Stainless Steel Panels - Galvanised steel (optional powder coat)

DIMENSIONS:


All in mm unless otherwise stated


FINISH:


Polished - No.4 Finish

ATTACHMENT:

Bolt down







CONFIDENTIAL

copyright

Quality ISO 9001

ı	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	ا⊿ ∧ ا		
1	z 1	ORIGINAL DRAWING	DN	23.2.11	R.CRIGHTON	10.2.14			N/A			
-	$\frac{9}{2}$	FULL PRODUCT REVIEW	RBC	10.2.14				LYNDARUM RECYCLE UNIT 120L				
١	$\frac{S}{S}$ 3	3						SPEC).			
١	씵 4					FURPH		FSC013014	REV. SHEE			
-					7	FOUNDRY EST. 1864		F3C013014	2 10	OF 2		