

SPECIFICATION:


Quality
ISO 9001

MATERIALS:



DIMENSIONS:




FINISH:

GROUND FIXINGS:



copyright

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	22.9.10	R.CRIGTON	9.12.13			N/A	
	2	FULL PRODUCT REVIEW	RBC	9.12.13			METRO SETTING SPEC.			
	3									
	4									
	5									
						FFSA004001		REV. 2	SHEET 1 OF 2	





One end



copyright |

CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	22.9.10	R.CRIGTON	9.12.13			N/A	
	2	FULL PRODUCT REVIEW	RBC	9.12.13			METRO SETTING WCA - ONE END SPEC.			
	3									
	4						FFSA004002			
	5									
							REV. 2	SHEET 1 OF 2		



SPECIFICATION:

MATERIALS:

Main construction - Cast aluminium
Timbers - Hard wood
Straps - Stainless steel
Fixings - Stainless steel

DIMENSIONS:

mm unless otherwise stated

FINISH:



Castings - Mill Finish or Powdercoat
Timber - Oil based

GROUND FIXINGS:

Bolt down



WHEELCHAIR ACCESS:

Both ends



CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	23.9.10	R.CRIGTON	9.12.13			N/A	
	2	FULL PRODUCT REVIEW	RBC	9.12.13						
	3									
	4									
	5									
						METRO SETTING WCA - BOTH ENDS SPEC.				
						FFSA004003			REV. 2	SHEET 1 OF 2



SPECIFICATION:

MATERIALS:

Main construction - Cast Aluminium
Slats - Harwood Timber
Pipes & Brace - Mild Steel
Strap - Stainless Steel

DIMENSIONS:



mm unless otherwise stated

FINISH:

Castings - Milled or Powder coat (optional)
Timbers - Oil Based
Pipes & Brace - Powder coat

GROUND FIXINGS:



Bolt down




Quality
ISO 9001







CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	30.11.10	R.CRIGTON	9.12.13			N/A	
	2	FULL PRODUCT REVIEW	RBC	9.12.13			OMEGA SETTING SPEC.			
	3						FFSA004008	REV. 2	SHEET 1 OF 2	
	4									
	5									



A



SPECIFICATION:

MATERIAL:

Ends & Centre Supports - Recycled
Cast Aluminium

Legs - Stainless Steel

Timber Slats - Hardwood Timber

Fixings - Stainless Steel

DIMENSIONS:

mm unless otherwise stated


FINISH:

Castings - Mill Finish

Timber - Oil Based

GROUND FIXING:

Bolt down





Detail A
BOLT DOWN DETAIL
TIMBERS & CASTING
HIDDEN FOR CLARRITY



copyright

CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	11.8.10	R.CRIGTON	9.12.13			N/A	
	2	FULL PRODUCT REVIEW	RBC	9.12.13						
	3									
	4									
	5									
						 FURPHY <small>FOUNDRY EST. 1864</small>	PROMENADE SETTING - BOLT DOWN SPEC.			
							FFSA004009		REV. 2	SHEET 1 OF 2



SPECIFICATION:

MATERIAL:

Ends & Centre Supports - Recycled
Cast Aluminium
Legs - Stainless Steel
Timber Slats - Hardwood Timber
Fixings - Stainless Steel



DIMENSIONS:



mm unless otherwise stated

FINISH:

Castings - Mill Finish
Timber - Oil Based


GROUND FIXING:

In ground






© copyright
CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4		
	1	ORIGINAL DRAWING	DN	13.8.10	R.CRIGTON	9.12.13			N/A			
	2	FULL PRODUCT REVIEW	RBC	9.12.13			PROMENADE SETTING - IN GROUND SPEC.					
	3											
	4						FFSA004010				REV. 2	SHEET 1 OF 2
	5											



A



SPECIFICATION:

MATERIAL:

Ends & Centre Supports - Recycled
Cast Aluminium

Legs - Stainless Steel
Timber Slats - Hardwood Timber
Fixings - Stainless Steel

DIMENSIONS:

mm unless otherwise stated

FINISH:


Castings - Mill Finish
Timber - Oil Based

GROUND FIXING:

Bolt down

WHEELCHAIR ACCESS

One end



Detail A



BOLT DOWN DETAIL TIMBERS
& CASTING HIDDEN FOR CLARRITY



copyright

CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	16.8.10	R.CRIGTON	9.12.13			N/A	
	2	FULL PRODUCT REVIEW	RBC	9.12.13						
	3									
	4									
	5									
						PROMENADE SETTING WCA - BOLT DOWN SPEC.				
						FFSA004011		REV. 2	SHEET 1 OF 2	



SPECIFICATION:

MATERIAL:

Ends & Centre Supports - Recycled
Cast Aluminium

Legs - Stainless Steel
Timber Slats - Hardwood Timber
Fixings - Stainless Steel



Quality
ISO 9001
SAI GLOBAL

DIMENSIONS:

mm unless otherwise stated

FINISH:



Castings - Mill Finish
Timber - Oil Based

GROUND FIXING:

In ground

WHEELCHAIR ACCESS

One end



© copyright

CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4		
	1	ORIGINAL DRAWING	DN	16.8.10	R.CRIGTON	9.12.13			N/A			
	2	FULL PRODUCT REVIEW	RBC	9.12.13			PROMENADE SETTING WCA - IN GROUND SPEC.					
	3											
	4						FFSA004012				REV. 2	SHEET 1 OF 2
	5											



Quality
ISO 9001
SAI GLOBAL

SPECIFICATION:

MATERIALS:

Table & Bench Ends - Recycled Cast Aluminium
Bench Strap - Recycled Cast Aluminium
Timbers - Hardwood Timber
Table Strap - Stainless Steel
Floor Mount Brackets - Galvanised Mild steel
Fixings - Stainless Steel

DIMENSIONS:

mm unless otherwise stated

FINISH:





Castings - Mill Finish
Timber - Oil Based

NOTE:

This product is also available with wheel chair access one or both ends

© copyright

CONFIDENTIAL



REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	15.9.10	R.CRIGTON	8.11.13			N/A	
	2	FULL PRODUCT REVIEW	RBC	8.11.13			FULCRUM SETTING SPEC.			
	3									
	4									
	5									
								FFSA004013		REV. 2



Quality
ISO 9001
SAI GLOBAL

SPECIFICATION:

MATERIALS:

Ends - Recycled Cast aluminium
Timbers - Hardwood Timber
Straps - Grade 304 Stainless steel
Fixings - Grade 304 Stainless steel

DIMENSIONS:

mm unless otherwise stated

FINISH:



Castings - Powder Coat, Mill finish
Strap - Linished
Timber - Oil Based

GROUND FIXING:

Bolt down



CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4		
	1	ORIGINAL DRAWING	RBC	24.1.14	R.CRIGTON	24.1.14			N/A			
	2						FORESHORE SETTING SPEC.					
	3											
	4						FFSA004014				REV. 1	SHEET 1 OF 2
	5											



Quality
ISO 9001
SAI GLOBAL

SPECIFICATION:

MATERIALS:

Table & Bench Ends - Recycled Cast Aluminium
Timbers - Hardwood Timber
Floor Mount Brackets - Galvanised Mild steel
Fixings - Stainless Steel

DIMENSIONS:

mm unless otherwise stated

FINISH:





Castings - Mill Finish
Timber - Oil Based

WHEEL CHAIR ACCESS:



One end



CONFIDENTIAL



REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	RBC	9.11.13	R.CRIGTON	9.11.13			N/A	
	2									
	3									
	4									
	5									
							FULCRUM SETTING WCA - ONE END SPEC.			
							FFSA004015	REV. 1	SHEET 1 OF 2	



SPECIFICATION:



REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	RBC	9.11.13	R.CRIGTON	9.11.13			N/A	
	2						FULCRUM SETTING WCA - BOTH ENDS SPEC.			
	3									
	4						FFSA004016			
	5									



Quality
ISO 9001
SAI GLOBAL

SPECIFICATION:

MATERIALS:

Main construction - Cast Aluminium
Slats - Harwood Timber
Pipes & Brace - Mild Steel
Strap - Mild Steel

DIMENSIONS:





mm unless otherwise stated

FINISH:

Castings - Milled or Powder coat (optional)
Timbers - Oil Based
Pipes & Brace - Powder coat

GROUND FIXINGS:

Bolt down



© copyright

CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	26.10.10	R.CRIGTON	9.12.13			N/A	
	2	FULL PRODUCT REVIEW	RBC	9.12.13						
	3									
	4									
	5									
						FIESTA SETTING SPEC.				
							FFSA004017	REV. 2	SHEET 1 OF 2	



Quality
ISO 9001
SAI GLOBAL

SPECIFICATION:

MATERIALS:

Main construction - Cast Aluminium
Slats - Harwood Timber
Pipes & Brace - Mild Steel
Strap - Stainless Steel

DIMENSIONS:

mm unless otherwise stated

FINISH:





Castings - Milled or Powder coat (optional)
Timbers - Oil Based
Pipes & Brace - Powder coat

GROUND FIXINGS:



Bolt down

© copyright

CONFIDENTIAL



REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	RBC	9.12.13	R.CRIGTON	9.12.13			N/A	
	2									
	3									
	4									
	5									
								PLAZA SETTING SPEC.		
								FFSA004018	REV. 1	SHEET 1 OF 2



SPECIFICATION:

MATERIALS:

Main construction - Cast aluminium
Slats - Mild Steel
Support pipes - Mild Steel

DIMENSIONS:

mm unless otherwise stated

FINISH:



Castings - Milled or Powder coat (optional)
Slats - Galvanised with optional powder coat

GROUND FIXINGS:

Bolt down

WHEEL CHAIR ACCESS:

Both ends



Quality
ISO 9001
SAI GLOBAL



CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	RBC	9.12.13	R.CRIGTON	9.12.13			N/A	
	2									
	3									
	4									
	5									
						STEEL SLATTED COUNCIL SETTING SPEC.				
							FFSA004019		REV. 1	SHEET 1 OF 2



Quality
ISO 9001
SAI GLOBAL






SPECIFICATION:

Material:
Frame & Slats: Mild Steel Construction

Dimensions:
All in mm unless otherwise stated

Finish:
Steel - Galvanised and optional Powder Coat





Ground Fixings:
Bolt Down



© copyright

CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4	
	1	ORIGINAL DRAWING	DN	21.7.10	R.CRIGTON	12.12.13			N/A		
	2	FULL PRODUCT REVIEW	RBC	12.12.13			STEEL SLATTED SETTING - BOLT DOWN SPEC.				
	3										
	4						FFSB004001				
	5										
								REV. 2	SHEET 1 OF 2		



SPECIFICATION:

MATERIALS:

Mild steel unless stated otherwise
Slats - Hardwood Timber 63x30mm
Fixings - Stainless Steel or Galvanised Steel

DIMENSIONS:


mm unless otherwise stated

FINISH:

Steel - Galvanised and optional Powder Coat
Timber - Oil Based

GROUND FIXINGS:

Bolt down







Detail A
TYPICAL BOLT DOWN DETAIL
TIMBER SLATS REMOVED
FOR CLARRITY



Quality
ISO 9001
SAI GLOBAL

© copyright
CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	31.8.10	R.CRIGTON	13.11.13			N/A	
	2	FULL PRODUCT REVIEW	RBC	13.11.13			WOODGROVE SQUARE SETTING - BOLT DOWN SPEC.			
	3									
	4						FFSB004002			
	5									



SPECIFICATION:

MATERIAL:

Mild steel unless otherwise stated
Slats - Hardwood timber 63x30mm

DIMENSIONS:

All in mm unless otherwise stated

FINISH:

Steel - Galvanised and optional Powder Coat
Timber - Oil Based




GROUND FIXINGS:

Bolt down



Quality
ISO 9001

SAI GLOBAL



DETAIL A
BOLT DOWN DETAIL
TIMBER SLATS REMOVED
FOR CLARRITY



copyright

CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	24.8.10	R.CRIGTON	6.11.13			N/A	
	2	FULL PRODUCT REVIEW	RBC	6.11.13						
	3									
	4									
	5									
							WOODGROVE SETTING - ALL IN ONE SPEC.			
							FFSB004003		REV. 2	SHEET 1 OF 4

SPECIFICATION:

MATERIALS:

Mild steel unless stated otherwise

Slats - Hardwood Timber 63x30mm

Fixings - Stainless Steel or Galvanised Steel

Quality
ISO 9001

SAI GLOBAL

DIMENSIONS:

mm unless otherwise stated





FINISH:

Steel - Galvanised and optional Powder Coat

Timber - Oil Based

GROUND FIXINGS:

Bolt down



Detail A
TYPICAL BOLT DOWN DETAIL
TIMBER SLATS REMOVED
FOR CLARRITY

© copyright

CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	19.8.10	R.CRIGTON	10.11.13			N/A	
	2	FULL PRODUCT REVIEW	RBC	10.11.13						
	3									
	4									
	5									
						WOODGROVE SETTING - BOLT DOWN SPEC.				
						FFSB004004		REV. 2	SHEET 1 OF 2	



Quality
ISO 9001
SAI GLOBAL





SPECIFICATION:

MATERIALS:
Mild steel unless stated otherwise
Slats - Hardwood Timber 63x30mm
Fixings - Stainless Steel or Galvanised Steel

DIMENSIONS:
mm unless otherwise stated



FINISH:
Steel - Galvanised and optional Powder Coat
Timber - Oil Based

GROUND FIXINGS:
In ground



CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	10.1.11	R.CRIGTON	16.12.13			N/A	
	2	FULL PRODUCT REVIEW	RBC	16.12.13						
	3									
	4									
	5									
							VICTORIA SETTING (2 SEATS) SPEC.			
							FFSB004005	REV. 2	SHEET 1 OF 3	



SPECIFICATION:

MATERIALS:

Mild steel unless stated otherwise
Slats - Hardwood Timber 63x30mm
Fixings - Stainless Steel or Galvanised Steel

DIMENSIONS:



mm unless otherwise stated

FINISH:

Steel - Galvanised and optional Powder Coat
Timber - Oil Based

GROUND FIXINGS:

In ground



Quality
ISO 9001
SAI GLOBAL



CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	11.1.11	R.CRIGTON	16.12.13			N/A	
	2	FULL PRODUCT REVIEW	RBC	16.12.13						
	3									
	4									
	5									
						VICTORIA SETTING (4 SEATS) SPEC.				
						FFSB004006	REV. 2	SHEET 1 OF 3		



Quality
ISO 9001
SAI GLOBAL

SPECIFICATION:

MATERIALS:
Mild steel unless stated otherwise
Slats - Hardwood Timber 63x30mm
Fixings - Stainless Steel or Galvanised Steel



DIMENSIONS:
mm unless otherwise stated



FINISH:
Steel - Galvanised and optional Powder Coat
Timber - Oil Based

GROUND FIXINGS:
In ground



CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4		
	1	ORIGINAL DRAWING	DN	19.8.10	R.CRIGTON	10.11.13			N/A			
	2	FULL PRODUCT REVIEW	RBC	10.11.13			WOODGROVE SETTING - IN GROUND SPEC.					
	3											
	4						FFSB004007				REV. 2	SHEET 1 OF 2
	5											



SPECIFICATION:

MATERIALS:

Mild steel unless stated otherwise

Slats - Hardwood Timber 63x30mm

Fixings - Stainless Steel or Galvanised Steel

DIMENSIONS:

mm unless otherwise stated

FINISH:

Steel - Galvanised and optional Powder Coat

Timber - Oil Based



GROUND FIXINGS:

In Ground



Quality
ISO 9001



SAI GLOBAL



copyright

CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	1.9.10	R.CRIGTON	13.11.13			N/A	
	2	FULL PRODUCT REVIEW	RBC	13.11.13						
	3									
	4									
	5									
							WOODGROVE SQUARE SETTING - IN GROUND SPEC.			
							FFSB004016		REV. 2	SHEET 1 OF 2



SPECIFICATION:

MATERIALS:

Main construction - Mild Steel
Timbers Slats - Hardwood Timber

DIMENSIONS:



mm unless otherwise stated

FINISH:

Galvanised or Optional Powder Coat
Timber - Oil Based

GROUND ATTACHMENT:

Bolt down





Quality
ISO 9001





SAI GLOBAL



copyright

CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	16.8.10	R.CRIGTON	17.3.14			N/A	
	2	FULL PRODUCT REVIEW	RBC	17.3.14			CIVIC SETTING SPEC.			
	3						FFSB004017	REV. 2	SHEET 1 OF 2	
	4									
	5									



Quality
ISO 9001
SAI GLOBAL

SPECIFICATION:

MATERIALS:

Main construction - Steel
Slats - Harwood Timber

DIMENSIONS:

mm unless otherwise stated

FINISH:

Galvanised or Powder coat (optional)
Timbers - Oil Based

GROUND FIXINGS:

Bolt down

WHEEL CHAIR ACCESS:

One end



CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	RBC	17.3.14	R.CRIGTON	17.3.14			N/A	
	2									
	3									
	4									
	5									
						CIVIC SETTING WCA - ONE END SPEC.				
						FFSB004018		REV. 1	SHEET 1 OF 2	

SPECIFICATION:

MATERIALS:

Main Construction - Mild Steel
Table Top - Stainless Steel
Fixing - Stainless Steel
Timbers Slats - Hardwood Timber

DIMENSIONS:

mm unless otherwise stated

FINISH:






Galvanised with optional powder coat
Table top - No.4 Polished
Timber - Oil Based

GROUND ATTACHMENT:

Bolt down



Quality
ISO 9001
SAI GLOBAL





Detail A
TABLE TOP REMOVED
FOR CLARRITY

© copyright

CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4			
	1	ORIGINAL DRAWING	RBC	1.4.14	R.CRIGTON	1.4.14			N/A				
	2						PARKLANE SETTING - BOLT DOWN SPEC.						
	3												
	4						FFSB004020				REV. 1	SHEET 1 OF 2	
	5												



SPECIFICATION:

MATERIALS:

Main Construction - Mild Steel
Table Top - Stainless Steel
Fixing - Stainless Steel
Timbers Slats - Hardwood Timber



Quality
ISO 9001
SAI GLOBAL

DIMENSIONS:



mm unless otherwise stated

FINISH:

Galvanised with optional powder coat
Table top - No.4 Polished
Timber - Oil Based






GROUND ATTACHMENT:

In ground




CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4	
	1	ORIGINAL DRAWING	RBC	1.4.14	R.CRIGTON	1.4.14			N/A		
	2						PARKLANE SETTING - IN GROUND SPEC.				
	3										
	4						FFSB004021		REV. 1		SHEET 1 OF 2
	5										



Detail A
TABLE BOLT DOWN DETAIL
TIMBER SLATS REMOVED
FOR CLARRITY



Detail B
BENCH BOLT DOWN DETAIL
TIMBER SLATS REMOVED
FOR CLARRITY

SPECIFICATION:

MATERIALS:

Mild steel unless stated otherwise
Slats - Hardwood Timber 63x30mm
Fixings - Stainless Steel or Galvanised Steel

DIMENSIONS:

mm unless otherwise stated

FINISH:

Steel - Galvanised and optional Powder Coat
Timber - Oil Based

GROUND FIXINGS:

Bolt down



Quality
ISO 9001

SAI GLOBAL



copyright

CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	RBC	18.11.13	R.CRIGTON				N/A	
	2									
	3									
	4									
	5									
						WOODGROVE CIRCULAR SETTING (1000-1800 OD) - BOLT DOWN - SPEC.				
						FFSB004024			REV. 1	SHEET 18.11.13






SPECIFICATION:

MATERIALS:
Mild steel unless stated otherwise
Slats - Hardwood Timber 63x30mm
Fixings - Stainless Steel or Galvanised Steel


DIMENSIONS:
mm unless otherwise stated

FINISH:
Steel - Galvanised and optional Powder Coat
Timber - Oil Based

GROUND FIXINGS:
Bolt down







Detail A
TABLE BOLT DOWN DETAIL
TIMBER SLATS REMOVED
FOR CLARRITY



Detail B
BENCH BOLT DOWN DETAIL
TIMBER SLATS REMOVED
FOR CLARRITY

© copyright
CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	RBC	19.11.13	R.CRIGTON	19.11.13			N/A	
	2									
	3									
	4									
	5									
						WOODGROVE CIRCULAR SETTING (1200-2080 OD) - BOLT DOWN - SPEC.				
FFSB004026								REV. 1	SHEET 1 OF 2	



SPECIFICATION:

MATERIALS:

Mild steel unless stated otherwise
Slats - Hardwood Timber 63x30mm
Fixings - Stainless Steel or Galvanised Steel

DIMENSIONS:


mm unless otherwise stated

FINISH:

Steel - Galvanised and optional Powder Coat
Timber - Oil Based


GROUND FIXINGS:

Bolt down



Detail A

TABLE BOLT DOWN DETAIL
TIMBER SLATS REMOVED
FOR CLARRITY





Detail B

BENCH BOLT DOWN DETAIL
TIMBER SLATS REMOVED
FOR CLARRITY






CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	RBC	19.11.13	R.CRIGTON	19.11.13			N/A	
	2									
	3									
	4									
	5									
						WOODGROVE CIRCULAR SETTING (1500-2380 OD) - BOLT DOWN -SPEC.				
FFSB004028								REV. 1	SHEET 1 OF 2	



NOTE: Optional square or round feet.



Detail A
TABLE TOP & SLATS
REMOVED FOR
CLARRITY

SPECIFICATION:

MATERIAL:

Main construction - 304 Stainless steel
(Also available in MS)
Fixings - Stainless steel

DIMENSIONS:

mm unless otherwise stated

FINISH:

No.4 Polished

GROUND ATTACHEMENT:

Bolt down





Quality
ISO 9001



copyright

CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4
	1	ORIGINAL DRAWING	DN	10.11.10	R.CRIGTON	6.2.14			N/A	
	2	FULL PRODUCT REVIEW	RBC	6.2.14			LYNDARUM SETTING - BOLT DOWN SPEC.			
	3									
	4									
	5									
						FFSC004001		REV. 2	SHEET 1 OF 2	



Quality
ISO 9001
SAI GLOBAL

SPECIFICATION:

MATERIAL:

Main construction - 304 Stainless steel
(Also available in MS)
Fixings - Stainless steel

DIMENSIONS:



mm unless otherwise stated

FINISH:

No.4 Polished

GROUND ATTACHEMENT:

In ground



CONFIDENTIAL

REVISION	#	DESCRIPTION	BY	DATE	DRAWN	DRAWN DATE	CHECKED	CHECKED DATE	SCALE	A4		
	1	ORIGINAL DRAWING	DN	11.11.10	R.CRIGTON	6.2.14			N/A			
	2	FULL PRODUCT REVIEW	RBC	6.2.14			LYNDARUM SETTING - IN GROUND SPEC.					
	3											
	4						FFSC004002				REV. 2	SHEET 1 OF 2
	5											